


(Linear Temporal) Logic to robot control


Hadas Kress-Gazit

**Sibley School of Mechanical and Aerospace Engineering
Cornell University**

hadaskg@cornell.edu







“LTL” – Part I
Explaining Unsynthesizable
Specifications

?




High-level Specification

Robot

Known Map

LTL Synthesis
Hybrid control

~~Correct-by-construction
robot control~~



Types of Problems

- Specification Unsatisfiable:

$$\text{Robot} \not\models \varphi_s$$

“Start in Deck. Always stay there. go to kitchen.”

- Specification Unrealizable:

$$\exists \text{Environment} \models \varphi_e \text{ s.t. } \text{Robot} \not\models \varphi_s$$

“Start in Deck. If you see a person stay there. go to kitchen.”


- Trivial solution:

$$\forall \text{Robot} \models \varphi_s$$

“Always person and not person.”


Explaining the problems


- Distinguish between unsatisfiable, unrealizable and trivial
- Highlight subset of sentences



#Define robot safety including how to pick_up
Do **radio** if and only if you are sensing **person**
If you are activating **radio** or you were activating **radio** then stay there

#Patrol Goals
Visit **porch**





Explaining the problems

- Distinguish between unsatisfiable, unrealizable and trivial
- Highlight subset of sentences
- Unrealizable spec: Playing a game with the user; we are the environment, the user is the robot

Counter-Strategy Visualizer

	fire	person	Region	radio
1	False	False	p7 (deck)	False

Current environment state:

fire person

Please choose your response:

Move to region p8 (bedroom)


Actuator states:

radio

Internal propositions:

Execute Move >>


Currently in step #2



Robot starts with false
 Robot starts in **deck**
 Visit **porch**
 If you are sensing **person** then do not **kitchen**
 If you are sensing **fire** then do not **living**
 Always do not (**fire** and **person**)
 Always do not **radio**

“LTL” – Part II

**High-level tasks in partially known
maps (initial steps)**





Challenges

- When to resynthesize
- What to resynthesize



Progress


- When to resynthesize
 - When discrete abstraction changes
 - Sensor based (Current work)



Progress

- What to resynthesize
 - “remember” current state
New initial state
 - Add safety and liveness
Quantifiers over regions, add LTL formulas
 - Reorder goals
Breadth/Depth first





*Patrol the rooms continuously
If you see a cone stop and raise the flag*

?

High-level Specification

Robot

Known Map

LTL Synthesis
Hybrid control

~~Correct-by-construction
robot control~~