

Programming Languages and Techniques (CIS120)

Lecture 22

March 19, 2014


Java Programming: Arrays

Announcements

HW07 available

- Image processing in Java
- Due next Tuesday at 11:59:59pm


Pennstagram



Java arrays

Java Arrays: Indexing

- An array is a sequentially ordered collection of values that can be indexed in *constant* time.
- Index elements from 0




- Basic array expression forms
 - $a[i]$ access element of array a at index i
 - $a[i] = e$ assign e to element of array a at index i
 - $a.length$ get the number of elements in a

Java Arrays: Dynamic Creation

- Create an array `a` of size `n` with elements of type `C`
`C[] a = new C[n];`
- Arrays live in the heap; values with array type are mutable references

```
int[] a = new int[4];  
a[2] = 7;
```



Java Arrays: Initialization

```
int[] myArray = { 100, 200, 300, 400, 500,  
                600, 700, 800, 900, 1000};
```

```
String[] yourArray = { "foo", "bar", "baz" };
```


```
Point[] herArray = { new Point(1,3),  
                    new Point(5,4) };
```

```
herArray = new Point[] { new Point(2,3),  
                        new Point(6,5) };
```

Java Arrays: Aliasing

- Variables of array type are references and can be aliases

```
int[] a = new int[4];  
int[] b = a;  
a[2] = 7;  
int ans = b[2];
```



What is the value of ans at the end of this program?

```
int[] a = {1, 2, 3, 4};  
int ans = a[0];
```

1. 1
2. 2
3. 3
4. 4
5. NullPointerException
6. ArrayIndexOutOfBoundsException

What is the value of ans at the end of this program?

```
int[] a = {1, 2, 3, 4};  
int ans = a.length;
```

1. 1
2. 2
3. 3
4. 4
5. NullPointerException
6. ArrayIndexOutOfBoundsException

What is the value of ans at the end of this program?

```
int[] a = null;  
int ans = a.length;
```

1. 1
2. 2
3. 3
4. 0
5. NullPointerException
6. ArrayIndexOutOfBoundsException

What is the value of ans at the end of this program?

```
int[] a = {};  
int ans = a.length;
```

1. 1
2. 2
3. 3
4. 0
5. NullPointerException
6. ArrayIndexOutOfBoundsException

What is the value of ans at the end of this program?

```
int[] a = {1, 2, 3, 4};  
int[] b = a;  
b[0] = 0;  
int ans = a[0];
```

1. 1
2. 2
3. 3
4. 0
5. NullPointerException
6. ArrayIndexOutOfBoundsException

What is the value of ans at the end of this program?

```
Counter[] a = { new Counter(), new Counter() };  
Counter[] b = a;  
a[0].inc();  
b[0].inc();  
int ans = a[0].inc();
```

1. 1
2. 2
3. 3
4. 0
5. NullPointerException
6. ArrayIndexOutOfBoundsException

```
public class Counter {  
  
    private int r;  
  
    public Counter () {  
        r = 0;  
    }  
  
    public int inc () {  
        r = r + 1;  
        return r;  
    }  
  
}
```

What is the value of ans at the end of this program?

```
Counter[] a = { new Counter(), new Counter() };  
Counter[] b = { new Counter(), new Counter() };  
a[0].inc();  
b[0].inc();  
int ans = a[0].inc();
```

1. 1
2. 2
3. 3
4. 0
5. NullPointerException
6. ArrayIndexOutOfBoundsException

```
public class Counter {  
  
    private int r;  
  
    public Counter () {  
        r = 0;  
    }  
  
    public int inc () {  
        r = r + 1;  
        return r;  
    }  
  
}
```

What is the value of ans at the end of this program?

```
Counter[] a = { new Counter(), new Counter() };  
Counter[] b = { a[0], a[1] };  
a[0].inc();  
b[0].inc();  
int ans = a[0].inc();
```

1. 1
2. 2
3. 3
4. 0
5. NullPointerException
6. ArrayIndexOutOfBoundsException

```
public class Counter {  
  
    private int r;  
  
    public Counter () {  
        r = 0;  
    }  
  
    public int inc () {  
        r = r + 1;  
        return r;  
    }  
  
}
```

Array Iteration

For loops

initialization

loop condition

update

```
for (int i = 0; i < a.length; i++) {  
    total += a[i];  
}
```

← loop body

```
static double sum(double[] a) {  
    double total = 0;  
    for (int i = 0; i < a.length; i++) {  
        total += a[i];  
    }  
    return total;  
}
```

General pattern for computing info about an array

Multi-Dimensional Arrays

A 2-d array is just an array of arrays...

```
String[][] names = {{"Mr. ", "Mrs. ", "Ms. "},  
                    {"Smith", "Jones"}};  
  
System.out.println(names[0][0] + names[1][0]);  
    // --> Mr. Smith  
System.out.println(names[0][2] + names[1][1]);  
    // --> Ms. Jones
```


String[][] just means (String[])[]
names[1][1] just means (names[1])[1]
More brackets → more dimensions

Multi-Dimensional Arrays

```
int[][] products = new int[5][];  
for(int col = 0; col < 5; col++) {  
    products[col] = new int[col+1];  
    for(int row = 0; row <= col; row++) {  
        products[col][row] = col * row;  
    }  
}
```

Multi-Dimensional Arrays

```
int[][] products = new int[5][];  
for(int col = 0; col < 5; col++) {  
    products[col] = new int[col+1];  
    for(int row = 0; row <= col; row++) {  
        products[col][row] = col * row;  
    }  
}
```



Note: This heap picture is simplified – it omits the class identifiers and length fields for all 6 of the arrays depicted.

(Contrast with the array shown earlier.)


Note also that orientation doesn't matter.

Design Exercise: Resizable Arrays

Arrays that grow without bound.

A Design Problem

Suppose you have a friend who runs a comic book store. She would like some help to keep track of her inventory. In each series, each issue has a number and she would like to know how many copies of that issue she has in stock. However, she does not know how many issues of each series there will be.



Step 1: Understand the Problem

- What are the requirements?

Step 2: Define the interface

What does a “resizable array” type need?

- a way to create an array without specifying an initial size
 - `new ResArray();`
- a way to access elements of the array
 - `a.get(3)` returns the number of copies of issue #3
- a way to update elements of the array
 - `a.set(4,2)` records the number of copies of issue #4
- a way to know the index of the most recent issue in stock
 - `a.getExtent()`
- a way to convert a resizable array to a regular array
 - `a.values()` returns an `int[]`

Demo: Steps 3 & 4

ResArray.java

ResArrayTest.java