

## What is “software foundations”?

Software foundations (or “theory of programming languages”) is the mathematical study of the **meaning** of programs.

The goal is finding ways to describe program behaviors that are both **precise** and **abstract**.

- ▶ **precise** so that we can use mathematical tools to formalize and check interesting properties
- ▶ **abstract** so that properties of interest can be discussed clearly, without getting bogged down in low-level details

CIS 500

Software Foundations

Fall 2006

September 6

## Why study software foundations?

- ▶ To prove specific properties of particular programs (i.e., program verification)
  - ▶ Important in some domains (safety-critical systems, hardware design, security protocols, inner loops of key algorithms, ...), but still quite difficult and expensive
- ▶ To develop intuitions for *informal* reasoning about programs
- ▶ To prove general facts about all the programs in a given programming language (e.g., safety or isolation properties)
- ▶ To understand language features (and their interactions) deeply and develop principles for better language design (*PL is the “materials science” of computer science...*)

Course Overview

## Approaches to Program Meaning

- ▶ *Denotational semantics* and *domain theory* view programs as simple mathematical objects, abstracting away their flow of control and concentrating on their input-output behavior.
- ▶ *Program logics* such as *Hoare logic* and *dependent type theories* focus on logical rules for reasoning about programs.
- ▶ *Operational semantics* describes program behaviors by means of *abstract machines*. This approach is somewhat lower-level than the others, but is extremely flexible.
- ▶ *Process calculi* focus on the communication and synchronization behaviors of complex concurrent systems.
- ▶ *Type systems* describe *approximations* of program behaviors, concentrating on the shapes of the values passed between different parts of the program.

## What you can expect to get out of the course

- ▶ A more sophisticated perspective on programs, programming languages, and the activity of programming
    - ▶ How to view programs and whole languages as formal, mathematical objects
    - ▶ How to make and prove rigorous claims about them
    - ▶ Detailed study of a range of basic language features
  - ▶ Deep intuitions about key language properties such as type safety
  - ▶ Powerful tools for language design, description, and analysis
- Most software designers are language designers!

## Overview

In this course, we will concentrate on operational techniques and type systems.

- ▶ Part 0: Functional Programming
  - ▶ A taste of OCaml
  - ▶ Functional programming style
  - ▶ Implementing programming languages
- ▶ Part 1: Modelling programming languages
  - ▶ Syntax and operational semantics
  - ▶ Inductive proof techniques
  - ▶ The lambda-calculus
  - ▶ Syntactic sugar: fully abstract translations

## What this course is not

- ▶ An introduction to programming (see CIT 591)
- ▶ A course on functional programming (though we'll be doing some functional programming along the way)
- ▶ A course on compilers (you should already have basic concepts such as lexical analysis, parsing, abstract syntax, and scope under your belt)
- ▶ A comparative survey of many different programming languages and styles (boring!)
- ▶ A seminar on programming language research (see CIS 700/002 MW 1:30-3:00, Towne 307)

## Personnel

---

Instructor: Benjamin Pierce  
Levine 562  
bpierce@cis.upenn.edu  
Office hours: Wed, 3:00–5:00  
(subject to change!)

Teaching Assistant: Brian Aydemir

Administrative Assistant: Kamila Dyjas Mauro

## Overview

- ▶ Part II: Type systems
  - ▶ Simple types
  - ▶ Type safety
  - ▶ References
  - ▶ Subtyping
- ▶ Part III: Object-oriented features (case study)
  - ▶ A simple imperative object model
  - ▶ An analysis of core Java

## Information

---

Textbook: Types and Programming Languages,  
Benjamin C. Pierce, MIT Press, 2002

Webpage: <http://www.seas.upenn.edu/~cis500>

Mailing list: [To be announced](#)

# Administrative Staff

## (Lack of) extra Credit

1. Grade improvements can *only* be obtained by sitting in on the course next year and turning in all homeworks and exams. (If you are doing this to improve your grade from last year, please speak to me after class so I know who you are.)
2. There will be no extra credit projects, either during the semester or after the course ends; concentrate your efforts on this course, now.

## Exams

1. **First mid-term:** Wednesday, October 13, in class
2. **Second mid-term:** Wednesday, November 10, in class
3. **Final:** Wednesday, December 20, 9–11AM

## Collaboration

- ▶ Collaboration on homework is *strongly encouraged*
  - ▶ Studying with other people is the best way to internalize the material
  - ▶ Form study groups!
- 2-3 people is a good size. 4 is too many for all to have equal input.

"You never really misunderstand something until you try to teach it..."  
— Anon.

## Grading

Final course grades will be computed as follows:

- ▶ Homework: 20%
- ▶ 2 midterms: 20% each
- ▶ Final: 40%

## First Homework Assignment

- ▶ The first homework assignment (on basic OCaml programming) is due next Monday by noon.
- ▶ You will need:
  - ▶ An account on a machine where OCaml is installed (you can also install OCaml on your own machine if you like)
  - ▶ Jason Hickey's notes on OCaml (read chapters 1-5)

## Homework

Readings from TAPL...

- ▶ Should be completed *before* lecture (see course web page)
- ▶ Do all one star questions while reading (no need to turn in)
- ▶ Write down questions to ask in class or recitation

## Recitations

- ▶ There will be both "review" and "advanced" recitations
- ▶ Recitations will start next week; they will take place on Thursdays or Fridays
- ▶ The exact schedule will be organized in the next couple of days

## Homework

Written homework...

- ▶ Small part of your grade, but a large part of your understanding
- ▶ Submit one assignment per study group.
- ▶ We will grade a semi-random subset of the problems on each assignment
- ▶ Some solutions are in the back of the book. Write your answer down *before* looking
- ▶ Late (non-)policy: Homework will *not be accepted* after the announced deadline

## The WPE-I syllabus

---

- ▶ Reading knowledge of core OCaml
- ▶ Chapters 1-11 and 13-19 of TAPL

## The WPE-I

---

- ▶ PhD students in CIS must pass a five-section Written Preliminary Exam (WPE-I)
- ▶ Software Foundations is one of the five areas
- ▶ The final for this course is also the software foundations WPE-I exam
- ▶ Near the end of the semester, you will be given an opportunity to declare your intention to take the final exam for WPE credit

## A Whirlwind Tour of OCaml

## The WPE-I (continued)

---

- ▶ You do not need to be enrolled in the course to take the exam for WPE credit
- ▶ If you are enrolled in the course and also take the exam for WPE credit, you will receive two grades: a letter grade for the course final and a Pass/Fail for the WPE
- ▶ You may take the exam for WPE credit even if you are not currently enrolled in the PhD program

## Functional Programming

The functional style can be described as a combination of...

- ▶ *persistent* data structures (which, once built, are never changed)
  - ▶ *recursion* as a primary control structure
  - ▶ heavy use of *higher-order functions* (functions that take functions as arguments and/or return functions as results)
- Imperative* languages, by contrast, emphasize...
- ▶ *mutable* data structures
  - ▶ *looping* rather than recursion
  - ▶ *first-order* rather than higher-order programming (though many object-oriented design patterns involve higher-order idioms—e.g., Subscribe/Notify, Visitor, etc.)

## OCaml and this course

The material in this course is mostly conceptual and mathematical. However:

- ▶ some of the ideas we will encounter are easier to grasp if you can “see them work”
  - ▶ experimenting with small implementations of programming languages is an excellent way to deepen intuitions
- For these purposes, we will use the OCaml language.

OCaml is a large and powerful language. For present purposes, though, we can concentrate just on the “core” of the language, ignoring most of its features. In particular, we will not need modules or objects.

## Computing with Expressions

OCaml is an *expression language*. A program is an expression. The “meaning” of the program is the value of the expression.

```
# 16 + 18;;  
- : int = 34  
  
# 2*8 + 3*6;;  
- : int = 34
```

## Functional Programming

OCaml is a *functional programming language* — i.e., a language in which the *functional programming style* is the dominant idiom.

Other well-known functional languages include Lisp, Scheme, Haskell, and Standard ML.

## Functions

```
# let cube (x:int) = x**x;;
val cube : int -> int = <fun>

# cube 9;;
- : int = 729
```

We call *x* the *parameter* of the function *cube*; the expression *x\*\*x* is its *body*. The expression *cube 9* is an *application* of *cube* to the *argument* 9.

The type printed by OCaml, *int->int* (pronounced “int arrow int”) indicates that *cube* is a function that should be applied to an integer argument and that returns an integer.

Note that OCaml responds to a function declaration by printing just *<fun>* as the function’s “value.”

Here is a function with two parameters:

```
# let sumsq (x:int) (y:int) = x*x + y*y;;
val sumsq : int -> int -> int = <fun>

# sumsq 3 4;;
- : int = 25
```

The type printed for *sumsq* is *int->int->int*, indicating that it should be applied to two integer arguments and yields an integer as its result.

Note that the syntax for invoking function declarations in OCaml is slightly different from languages in the C/C++/Java family: we write *cube 3* and *sumsq 3 4* rather than *cube(3)* and *sumsq(3,4)*.

## The top level

OCaml provides both an interactive *top level* and a *compiler* that produces standard executable binaries. The top level provides a convenient way of experimenting with small programs.

The mode of interacting with the top level is typing in a series of expressions; OCaml *evaluates* them as they are typed and displays the results (and their types). In the interaction above, lines beginning with # are inputs, and lines beginning with - are the system’s responses. Note that inputs are always terminated by a double semicolon.

## Giving things names

The *let* construct gives a name to the result of an expression so that it can be used later.

```
# let inchesPerMile = 12*3*1760;;
val inchesPerMile : int = 63360

# let x = 1000000 / inchesPerMile;;
val x : int = 15
```



## Defining things inductively

In mathematics, things are often defined inductively by giving a “base case” and an “inductive case.” For example, the sum of all integers from 0 to  $n$  or the product of all integers from 1 to  $n$ :

```
sum(0) = 0
sum(n) = n + sum(n-1) if n ≥ 1

fact(1) = 1
fact(n) = n * fact(n-1) if n ≥ 2
```

It is customary to extend the factorial to all non-negative integers by adopting the convention  $\text{fact}(0) = 1$ .

## Recursive functions

We can translate inductive definitions directly into *recursive* functions.

```
# let rec sum(n:int) = if n = 0 then 0 else n + sum(n-1);;
val sum : int -> int = <fun>

# sum(6);;
- : int = 21

# let rec fact(n:int) = if n = 0 then 1 else n * fact(n-1)
val fact : int -> int = <fun>

# fact(6);;
- : int = 720
```

The `rec` after the `let` tells OCaml this is a recursive function — one that needs to refer to itself in its own body.

## The type boolean

There are only two values of type `boolean`: `true` and `false`. Comparison operations return `boolean` values.

```
# 1 = 2;;
- : bool = false

# 4 >= 3;;
- : bool = true

not is a unary operation on booleans.

# not (5 <= 10);;
- : bool = false

# not (2 = 2);;
- : bool = false
```

## Conditional expressions

The result of the conditional expression `if B then E1 else E2` is either the result of `E1` or that of `E2`, depending on whether the result of `B` is `true` or `false`.

```
# if 3 < 4 then 7 else 100;;
- : int = 7

# if 3 < 4 then (3 + 3) else (10 * 10);;
- : int = 6

# if false then (3 + 3) else (10 * 10);;
- : int = 100

# if false then false else true;;
- : bool = true
```

## Making Change – continued

Now suppose the bank has both nickels and pennies.

If *a* is less than 5 then we can only pay with pennies. If not, we can do one of two things:

- ▶ Pay in pennies; we already know how to do this.
- ▶ Pay with at least one nickel. The number of ways of doing this is the number of ways of making change (with nickels and pennies) for *a*-5.

```
# (* No. of ways of paying in pennies and nickels *)
let rec changePN (a:int) =
  if a < 5 then changeP a
  else changeP a + changePN (a-5);;
```

## Making Change

Another example of recursion on integer arguments. Suppose you are a bank and therefore have an “infinite” supply of coins (pennies, nickels, dimes, and quarters, and silver dollars), and you have to give a customer a certain sum. How many ways are there of doing this?

For example, there are 4 ways of making change for 12 cents:

```
12 pennies
1 nickel and 7 pennies
2 nickles and 2 pennies
1 dime and 2 pennies
```

We want to write a function change that, when applied to 12, returns 4.

## Making Change – continued

Continuing the idea for dimes and quarters:

```
# (* ... pennies, nickels, dimes *)
let rec changePND (a:int) =
  if a < 10 then changePN a
  else changePN a + changePND (a-10);;

# (* ... pennies, nickels, dimes, quarters *)
let rec changePNDQ (a:int) =
  if a < 25 then changePND a
  else changePND a + changePNDQ (a-25);;
```

## Making Change – continued

To get started, let's consider a simplified variant of the problem where the bank only has one kind of coin: pennies.

In this case, there is only one way to make change for a given amount: pay the whole sum in pennies!

```
# (* No. of ways of paying a in pennies *)
let rec changeP (a:int) = 1;;
```

That wasn't very hard.

## Lists

One handy structure for storing a collection of data values is a *list*. Lists are provided as a built-in type in OCaml and a number of other popular languages (e.g., Lisp, Scheme, and Prolog—but not, unfortunately, Java).

We can build a list in OCaml by writing out its elements, enclosed in square brackets and separated by semicolons.

```
# [1; 3; 2; 5];;  
- : int list = [1; 3; 2; 5]
```

The type that OCaml prints for this list is pronounced either “integer list” or “list of integers”.

The empty list, written [], is sometimes called “nil.”

## Finally:

```
# (* Pennies, nickels, dimes, quarters, dollars *)  
let rec change (a:int) =  
  if a < 100 then changePNDQ a  
  else changePNDQ a + change (a-100);;
```

Some tests:

```
# change 5;;  
- : int = 2  
  
# change 9;;  
- : int = 2  
  
# change 10;;  
- : int = 4
```

## The types of lists

We can build lists whose elements are drawn from any of the basic types (`int`, `bool`, etc.).

```
# ["cat"; "dog"; "gnu"];;  
- : string list = ["cat"; "dog"; "gnu"]  
  
# [true; true; false];;  
- : bool list = [true; true; false]
```

We can also build lists of lists:

```
# [[1; 2]; [2; 3; 4]; [5]];;  
- : int list list = [[1; 2]; [2; 3; 4]; [5]]
```

In fact, for every type `t`, we can build lists of type `t list`.

...

```
# change 29;;  
- : int = 13  
# change 30;;  
- : int = 18  
  
# change 100;;  
- : int = 243  
  
# change 499;;  
- : int = 33995
```

## Some recursive functions that generate lists

```
# let rec repeat (k:int) (n:int) = (* A list of n copies of k *)
  if n = 0 then []
  else k :: repeat k (n-1);;

# repeat 7 12;;
- : int list = [7; 7; 7; 7; 7; 7; 7; 7; 7; 7; 7; 7]

# let rec fromTo (m:int) (n:int) = (* The numbers from m to n *)
  if n < m then []
  else m :: fromTo (m+1) n;;

# fromTo 9 18;;
- : int list = [9; 10; 11; 12; 13; 14; 15; 16; 17; 18]
```

## Lists are homogeneous

OCaml does not allow different types of elements to be mixed within the same list:

```
# [1; 2; "dog"];;
Characters 7~13:
This expression has type string list but is here used with type int list
```

## Constructing Lists

Any list can be built by "consuming" its elements together.

```
-# 1 :: 2 :: 3 :: 2 :: 1 :: [] ;;;
- : int list = [1; 2; 3; 2; 1]
```

In fact,  $[x_1; x_2; \dots; x_n]$  is simply a shorthand for

```
 $x_1 :: x_2 :: \dots :: x_n :: []$ 
```

Note that, when we omit parentheses from an expression involving several uses of  $::$ , we associate to the right—i.e.,  $1::2::3::[]$  means the same thing as  $1::(2::(3::[]))$ . By contrast, arithmetic operators like  $+$  and  $-$  associate to the left:  $1-2-3-4$  means  $((1-2)-3)-4$ .

## Constructing Lists

OCaml provides a number of built-in operations that return lists. The most basic one creates a new list by adding an element to the front of an existing list. It is written  $::$  and pronounced "cons" (because it constructs lists).

```
# 1 :: [2; 3];;
- : int list = [1; 2; 3]

# let add123 (l: int list) = 1 :: 2 :: 3 :: l;;
val add123 : int list -> int list = <fun>

# add123 [5; 6; 7];;
- : int list = [1; 2; 3; 5; 6; 7]

# add123 [];;
- : int list = [1; 2; 3]
```

## More list examples

```
# List.hd [[5; 4]; [3; 2]];;  
- : int list = [5; 4]  
  
# List.hd (List.hd [[5; 4]; [3; 2]]);;  
- : int = 5  
  
# List.tl (List.hd [[5; 4]; [3; 2]]);;  
- : int list = [4]
```

## Taking Lists Apart

OCaml provides two basic operations for extracting the parts of a list.

► `List.hd` (pronounced “head”) returns the first element of a list.

```
# List.hd [1; 2; 3];;  
- : int = 1
```

► `List.tl` (pronounced “tail”) returns everything *but* the first element.

```
# List.tl [1; 2; 3];;  
- : int list = [2; 3]
```

## Modules – a brief digression

Like most programming languages, OCaml includes a mechanism for grouping collections of definitions into *modules*.

For example, the built-in module `List` provides the `List.hd` and `List.tl` functions (and many others). That is, the name `List.hd` really means “the function `hd` from the module `List`.”

## More list examples

```
# List.tl (List.tl [1; 2; 3]);;  
- : int list = [3]  
  
# List.tl (List.tl (List.tl [1; 2; 3]));;  
- : int list = []  
  
# List.hd (List.tl (List.tl [1; 2; 3]));;  
- : int = 3
```

## Reversing a list

We can use `snoc` to reverse a list:

```
# (* Reverses l -- inefficiently *)
let rec rev (l: int list) =
  if l = [] then []
  else snoc (rev (List.tl l)) (List.hd l);;
val rev : int list -> int list = <fun>

# rev [1; 2; 3; 3; 4];;
- : int list = [4; 3; 3; 2; 1]
```

Why is this inefficient? How can we do better?

## A better rev

```
# (* Adds the elements of l to res in reverse order *)
let rec revaux (l: int list) (res: int list) =
  if l = [] then res
  else revaux (List.tl l) (List.hd l :: res);;
val revaux : int list -> int list -> int list = <fun>

# revaux [1; 2; 3] [4; 5; 6];;
- : int list = [3; 2; 1; 4; 5; 6]

# let rev (l: int list) = revaux l [];;
val rev : int list -> int list = <fun>
```

## Recursion on lists

Lots of useful functions on lists can be written using recursion. Here's one that sums the elements of a list of numbers:

```
# let rec listSum (l:int list) =
  if l = [] then 0
  else List.hd l + listSum (List.tl l);;

# listSum [5; 4; 3; 2; 1];;
- : int = 15
```

## Consing on the right

```
# let rec snoc (l: int list) (x: int) =
  if l = [] then x::[]
  else List.hd l :: snoc(List.tl l) x;;
val snoc : int list -> int -> int list = <fun>

# snoc [5; 4; 3; 2] 1;;
- : int list = [5; 4; 3; 2; 1]
```

## Tail recursion

---

The `revaux` function

```
let rec revaux (l: int list) (res: int list) =  
  if l = [] then res  
  else revaux (List.tl l) (List.hd l :: res);;
```

has an interesting property: the *result* of the recursive call to `revaux` is also the result of the whole function. I.e., the recursive call is the *last* thing on its “control path” through the body of the function. (And the other possible control path does not involve a recursive call.)

Such functions are said to be *tail recursive*.

## Tail recursion

---

It is usually fairly easy to rewrite a recursive function in tail-recursive style. For example, the usual factorial function is not tail recursive (because one multiplication remains to be done after the recursive call returns):

```
# let rec fact (n:int) =  
  if n = 0 then 1  
  else n * fact(n-1);;
```

We can transform it into a tail-recursive version by performing the multiplication *before* the recursive call and passing along a separate argument in which these multiplications “accumulate”:

```
# let rec factaux (acc:int) (n:int) =  
  if n = 0 then acc  
  else factaux (acc*n) (n-1);;  
# let fact (n:int) = factaux 1 n;;
```